


Model Image

Description

A carpet mat made from an ideal combination of fibre and rubber, with good cleaning properties and an outstanding advertising impact. Absorbs moisture. Can be printed with a customised image, giving excellent advertising and information benefits. Durable, withstands at least 150 cleaning/washing procedures.



Model Image

Colours

 I10 Lemon	 I20 Yellow	 I30 Yellow/orange	 I40 Orange	 I50 Terracotta	 I60 Red
 I70 Oxide red	 I80 Bordeaux	 I90 Light red	 I100 Cherry	 I110 Purple	 I120 Lilac
 I130 Grape	 I140 Magenta	 I150 Peach	 I160 Royal blue	 I170 Light blue	 I180 Petrol blue
 I190 Emerald green	 I200 Marine blue	 I210 Dark green	 I220 Mint	 I230 Leaf green	 I240 Reed green
 I250 Green	 I260 Brown	 I270 Graphite	 I280 Steel blue	 I290 Light blue	 I300 Silver
 I310 Fawn brown	 I320 Sand	 I330 Chestnut	 I340 Grey beige	 I350 Blue grey	 I360 Light grey
 I370 Grey	 I380 Dark grey	 I390 Black	 I400 White*	 I410 Steel grey	 I420 Gold
 I430 Salmon pink	 I440 Light green	 I450 Sunset			

Model Image

Backing material	Nitrile rubber coating, thickness approx. 1.4 mm, smooth or dimpled
Border width	Approx. 20 mm
Pile height	Approx. 7 - 8 mm
Pile material	High twist nylon (100% polyamide 6.6), effective pile weight 900 g/m ²
Height	Approx. 8 - 9 mm
Total weight (g/m²)	2600
Dimension tolerance in %	3
Tread border label	By request
Water absorption	Approx. 3 to 4 litres per m ²
Max. washing temperature °C	60
Fastness to washing	Colourfast in acc. with DIN 54006
Oil resistant (nitrile rubber back)	Extremely good
Electrostatic behaviour	Extremely low electrostatic charging, volume resistance 2.2 x 10 ¹¹ Ohms, in acc. with DIN 54345
Resistance to fire	Acc. to Cfls1 (in acc. with EN 13501), flame resistant available
Standard dimensions in cm	85 x 75 85 x 120 85 x 150 100 x 200 115 x 180 115 x 200 115 x 240 150 x 200 150 x 250 200 x 200 200 x 300 200 x 400 Special dimensions possible, up to 200 x 500 cm